

BOGNYI, F.

Indoor competitive model contest organized by the "MAVAG Aeronautical Club";
Technical University, April 22, 1957. n.23. (Repules, No. 2, May 1957,
Budapest, Hungary)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

SCHONYI, F.

National Championship for Speed Model Airplanes.

p. 20 (Repülés, No. 8, Nov. 1957, Budapest, Hungary)

Monthly Index of East European Accessions (EEAI) IC. Vol. 7, no. 2,
February 1958

MEDVECKH, L. (Debrecen); SOMOGYI, G. (Debrecen)

Range of protons in the Agfa K2 nuclear emulsion. Acta phys Hung 13
no.2:163-167 '61.

1. Institute of Nuclear Research, Hungarian Academy of Sciences,
Debrecen. (for Medveczky) 2. Institute of Experimental Physics, Kossuth
University, Debrecen. (for Somogyi). Presented by A. Szalay.

SOMOGYI, Geza, nyugalmazott tanár

Roman aqueduct at Pecs. Pecsí musz szeml 10 no. 1:13-3 of cover
Ja-Mr '65.

SOMOGYI, Gyorgy; SZABO, Gyula

Modeling radioactive decomposition by the hydrodynamical
method. Fiz szemle 13 no.6:189-192 Je '63.

1. Kossuth Lajos Tudományegyetem Kísérleti Fizikai Intézete,
Debrecen.

SOMOGYI, Gyorgy, egyetemi tanarseged; BODY, Zoltan, egyetemi tanarseged

Possibilities for detecting nuclear blasts. Term tud kozl
6 no.9:387-390 S '62.

1: Tudományegyetem, Debrecen.

PHY. A. SOMOGYI, G. VALAS

density spectrum of Extensive Air Showers at very large densities

report submitted for the 8th Intl. Conf. on Cosmic Rays (IUPAP), Jaipur India,
2-14 Dec 1963

SOMOGYI, GY.

"The present situation of public health statistics," p. 90 (NEPEGESZSEGUGY,
Vol. 34, no. 3, Mar. 1953. Budapest.)

SO: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress,
Aug. 1953, Uncl.

BALINT, Gyorgy, dr.; SOMOGYI, Gyorgyi, dr.

Clinical experiences with a new form of potentiated anesthesia
(1522 GB, plegicil). Orv.hetil. 100 no.40:1444-1446 0 '59.

1. A Peterffy Sándor utcai Korház Rendelőintézet (igazgató:
Golocsi György dr.) bőlelet-sebeszeti osztályának (főorvos:
Oberna Ferenc dr.) és laboratóriumának (főorvos: Szecsenyi-
Nagy László dr.) közleménye.

(TRANQUILIZING AGENTS)

(ANESTHESIA)

BIRO, Laszlo, dr.; GRABER, Hedvig, dr.; SOMOGYI, Gyorgyi dr.; IVAN, Eva, dr.

Observations on antibiotic synergism-antagonism. (Effects of combination of antibiotics on Staphylococcus strains in vitro).
Orv.hetil. 101 no.32:1127-1130 7 Ag '60.

1. Peterfy Sandor u. Korhaz Rendelo, "A" Belosztaly es Laboratorium
(ANTIBIOTICS pharmacol)
(STAPHYLOCOCCUS pharmacol)

BIRO, Laszlo; GRABER, Hedvig; SOMOGYI, Gyorgyi; IVAN, Eva

Effect of adrenalectomy on the properdin level. Kiserletes orvostud.
13 no.3:310-315 Je '61.

1. Peterfy Sandor u. Korhas Rendelo "A" belosztalya es Laboratoriuma.

(ADRENALECTOMY exper) (PROPERDIN)

SOMOGYI, Gyorgyi, dr. SELMECI, Imre, dr.; LANGER, Lea, dr.; GAAL, Klara, dr.

Studies on a modified bentonite flocculation test. Orv.hetil.
102 no.5:212-213 29 Ja'61.

1. Peterfy Sander u. Korhaz-Rendelo, "A" Belosztaly es Labora-
torium, O.R.F.I., "G" Osztaly.
(ARTHRITIS RHEUMATOID diag)

SIMONYI, Janos, dr.; GABOR, Gyorgy, dr.; KOCIS, Ferenc, dr.;
SOMOGYI, Gyorgy, dr.

Studies on hemodynamics in patients suffering from so-called
cardiovascular neurosis. Magy. belorv. arch. 16 no.2:90-95
My '63.

1. Budapesti Orvostudományi Egyetem II Belklinika.
(BLOOD FLOW VELOCITY)
(BLOOD VOLUME DETERMINATION)
(SERUM ALBUMIN, RADIOIODINATED)
(BLOOD CIRCULATION TIME)
(BLOOD PRESSURE DETERMINATION)
(NEURASTHENIA)

SOMOGYI, Gyorgy, dr.; VARGA, Laszlo, dr.; SKOLNIK, Jozsa

On the radiorenogram. Orv. hetil. 103 no.27:1262-1263 8 JI '62.

1. Budapesti Orvostudományi Egyetem, II Belklinika és Orvosi Fizikai
Intézet.

(KIDNEYS radiog)

Prof. Dr. J. Nagy, II. TGFN, Szeged, Dr. Orsolya J. Kerkai, HUNYI, Vasos, LARSZK, Andras (Mrs), Medical University of Budapest, II. Medical Clinic (Magyar Orvostudományi Egyetem, II. Belklinika) and Taci are deposited. Hecetel (Waci-uti Hepatitis B-virus).

"Determination of Liver Fermenton with Colloidal Gold Isotope."

Enghart, Guyton Reilly, Vol 101, No 13, 16 Apr 63, pages 4-5, 7.

Abstract: [Authors' Hungarian summary] The liver perfusion determination with colloidal Au¹⁹⁹ is a valuable addition to the current experimental techniques. The test is easy on the patient, can be carried out repeatedly, and the degree of the liver circulation can be checked frequently. In the course of the experiments the minimal liver circulation value in normal individuals was 660-1170 ml/min/1.6, in patients with chronic hepatitis and cirrhosis it was 340-890 and 210-570 ml/min/1.6, respectively. The test is considered to be of prognostic value and is also useful for the determination of the effectiveness of the treatment. (Authors' references.)

SIPOS, Jozsef, dr.; BOSZORMENYI, Erno, dr.; SOMOGYI, Gyorgy, dr.

Data on the diagnosis of polycystic kidney in various members
of one family. Orv. hetil. 104 no.41:1945-1948 13 0 '63.

1. Budapesti Orvostudományi Egyetem, II. Belklinika.
(KIDNEY, POLYCYSTIC) (GENETICS, HUMAN)
(UROGRAPHY) (KIDNEY FUNCTION TESTS)
(IODINE ISOTOPES, DIAGNOSTIC)
(CONTRAST MEDIA)

SIMONYI, J.; GABOR, G.; KOCSIS, F., SOMOGYI, G.

Haemodynamics in patients with cardiac neurosis. Cor vasa 6
no.1:26-34 '64.

1. 2nd Internal Clinic, Medical Faculty, University of Budapest.

*

SIMONYI, Janos, dr.; SOMOGYI, Gyorgy, dr.; GRAF, Ferenc, dr.; SARKADI, Janosne, technikai munkatars.

Differential diagnosis of splenomegaly with the aid of
colloid gold isotopes (Au-198). Orv. hetil. 105 no.11:
485-487 15 Mr'64

1. Budapesti Orvostudományi Egyetem, II. Belklinika (igazgató:
Gomori Pál, dr.)

*

SCMOGYI, Gyorgy

New Particle detectors. Pt.1. Fiz szemle 14 no.10:302-306
O '64.

1. Institute of Experimental Physics, Lajos Kossuth University,
Debrecen.

LENGYEL, Tamas; SOMOGYI, Gyorgy

Synthesis and uses of ^{99m}Tc . Magyar kem lap 19 no.8:428-432 Ag '64.

1. Isotope Institute, National Atomic Energy Commission, Budapest (for Lengyel). 2. No.2. Clinic of Internal Medicine, Budapest Medical University (for Somogyi).

BIRO, Laszlo; GRABER, Hedvig; IVAN, Eva; SOMOGYI, Gyorgy

Effect of some adrenal cortex hormones on the properdin level.
Kiserl. orvostud. 16 no.4:444-447 Ag 1961.

1. Fovarosí Tarsas Peterfy S. ulcai kórház "A" Belosztalya és
Laboratoriuma.

SOMOGYI, Gyorgy

New particle detectors. Pt.2. Fiz szemle 14 no.11:351-357 N '64.

1. Institute of Experimental Physics of Lajos Kossuth University,
Debrecen.

PALL, Gabor, dr.; SOMOGYI, Gyorgy, dr.; GYERGYAI, Karoly, dr.; SZECHENYI-NAGY, Laszlo, dr.

Properdin levels in sick infants. Gyermekgyogyaszat 15
no.8:243-252 Ag '64.

1. XIV. ker. Tanacs Apathy Istran Korhaza Gyermekosztalyanak
kozlemenye.

SOMOGYI, Gyorgy

New particle detectors. Pt.3. Fiz szomle 15 no.12:392-396
D '64.

1. Institute of Experimental Physics of Lajos Kossuth
University, Debrecen.

8. H. J.

Experiments with

1.

HUNGARY

KNOLL, Jozsef, Dr of med. sci., VIZI, E., Szilvester, KNOLL, Berta, ~~SOMOGYI, Gyorgy~~; Medical University of Budapest, Institute of Pharmacology (Budapesti Orvostudományi Egyetem, Gyógyszertani Intézet).

"Analysis of the Mode of Action of Reserpine"

Budapest, A Magyar Tudományos Akadémia V. Orvosi Tudományok Osztályának Kozlemenyei, Vol XVI, No 2-3, 1965, pages 227-238.

Abstract: [Authors' Hungarian summary modified] The differences in pharmacological effect achieved with a single dose of 3 mg/kg of reserpine and with the prolonged administration of the same dose at a rate of 0.1 mg/kg/day was studied in rats. It was characteristic of the acute treatment that the tranquillizing effect and the motility-decreasing effect could be antagonized with amphetamine and DOPA. In that case, the pyrogenic effect of amphetamine on rats was inhibited and the noradrenalin sensitivity of cats was not affected. In the state of central nervous system depression caused by prolonged reserpine treatment, the pyrogenic effect of amphetamine was enhanced in rats. The noradrenalin sensitivity of cats was also greatly enhanced under such conditions. The sensitivity to electroshock and pentametazole spasms is increased both by acute and prolonged reserpine treatment of the animals and nor is there any significant difference in the noradrenalin content of the brain tissue in the

1/2

- 67 -

HUNGARY

Budapest, A Magyar Tudományos Akadémia V. Orvosi Tudományok Osztályának Közleményei, Vol XVI, No 2-3, 1965, pages 227-238

two cases. An analysis of the experimental results led to the hypothesis that in the course of prolonged reserpine treatment a specific "chemical denervation" occurs in the central nervous system and at the periphery which is accompanied by a state of denervational supersensitivity and is responsible for the effects observed. This mode of action is thought to make reserpine more valuable in human therapy. This state cannot be produced by means of acute reserpine treatment or by the acute or prolonged administration of benzoquinolizine derivatives (e.g. tetrabenazine) which have a biochemical effect similar to that of reserpine. Some pharmacological properties of tetrabenazine were analyzed in detail. 8 Hungarian, 30 Western references. [Manuscript received 9 Mar 65.]

HUNGARY

SOMOGYI, Gyorgy, Dr, technical assistant: SARKADI, Janos (Mrs); Medical University of Budapest, II. Medical Clinic (director: GOMORI, Pal, Dr) (Budapesti Orvostudományi Egyetem, II. Belklinika)

"Inhibition of the I^{131} Uptake by the Thyroid with D-Thyroxine in Hyperthyroid and Euthyroid Subjects"

Budapest, Orvosi Hetilap. Vol 107, No 11, 13 Mar 66, pages 499-500

Abstract: [Authors' Hungarian summary] The measurement of I^{131} uptake by the thyroid is reported, following the administration of D-thyroxine for 3 days, in 10 hyperthyroid subjects and in 12 subjects with a high I^{131} uptake who were clinically classified as euthyroid. In the hyperthyroid group, the radioactive uptake did not change in response to D-thyroxine administration while in the euthyroid subjects there was a 50 per cent decrease in uptake in comparison with the previous value. All 7 references are Western.

HUNGARY

SOMOGYI, Gyorgy, Dr, PALMAY, Istvan, Dr, ADAMEL, Istvan, Dr, JURASS, Istvan, Dr, HOTOVI, Eleonora, Dr, LOSONCI, Andras, Dr; Medical University of Budapest, II. Medical Clinic (director: GOMORI, Pal, Dr) (BOTE -- Budapesti Orvostudományi Egyetem --, II. Belklinika), and Korvin Otto Hospital, II. Medical Ward (Korvin Otto Kórház, II. Belgyógyászati Osztály).

"The Clinical Value of Renography."

Budapest, Orvosi Hetilap, Vol 108, No 19, 1 May 66, pages 447-452.

Abstract: [Authors' Hungarian summary] On the basis of the results in 1955 and 1956, renography is considered to be a reliable method for the diagnosis of renal diseases. It is primarily suited for the detection of unilateral processes. It is simple to perform, represents no danger to the patient, is not painful and is well reproducible. Without any instrumental examination, the following information can be obtained with renography: a) kidney function on either side separately, b) the intensity of the excretory process and c) the renal blood supply. [Hungarian text continues]

HUNGARY

3
HOTVY, Eleonora, Dr. LOSONCI, Andras, Dr. LAKOS, Janos, Dr. KISS, Eva, Dr. KOCIS, Ferenc, Dr. HALPAGYI, Margit, SCHUGYI, Gyorgy, Dr. Korvin Otto Hospital, II. Medical Ward and Radiology (Korvin Otto Korhaz, II. Belosztaly es Rontgenosztaly), and Medical University of Budapest, II. Medical Clinic (Budapesti Orvostudomanyi Egyetem, II. Belklinika).

"A Surgically Corrected Case of Hypertension Caused by Fibromuscular Hyperplasia of the Renal Artery."

Budapest, Orvosi Hetilap, Vol 100, No 10, 5 Mar 67, pages 464-466.

Abstract: The case of an 18 year old patient is described. Although the usual clinical examinations furnished no indication of a possible renovascular origin of the hypertension, the age of the patient led to further studies culminating in the correct diagnosis and rehabilitation of the patient. The problems involved in similar cases are discussed and some diagnostic guide lines are presented in the article. 3 Hungarian, 15 Western references.

LIBOR, Oszkar; SOMOGYI, Guzella

Data on the corrosion occurring in ammonium-nitrate-solution.
Magy kem folyoir 70 no.10:423-426 0 '64.

1. Chair of Chemical Technology, Lorand Eotvos University,
Budapest.

HUNGARY/Chemical Technology - Chemical Products and Their
Application, Mineral Salts. Oxides. Acids. Bases.

I-6

Abs Jour : Ref Zhur - Khimiya, No 3, 1957, 8791

Author : Mariassy, M. Borsiczky, H.V., and Somogyi, I.

Inst :

Title : On the Question of Foaming in Aluminate Solutions.

Orig Pub : Kohasz. lapok, 1954, 9, No 2, 73-75,

Abstract : Foaming in turbid alkaline aluminate solutions is
caused by excessive amounts of organic additives
(flour, starch), added to improve the precipita-
tion of the red mud.

Card 1/1

Scavenging I.

5

HUNG.

27. Determination of the silicic acid and calcium content of ercolite and other compounds containing fluorine by spectrum analysis -- M. Máriássy, V. Hosszú and L. Szamosi. (Kohászati Lapok -- Vol. 9 (87), 1951, No. 6, pp. 267-270, 6 figs.)

2

Two methods have been elaborated for determining the SiO_2 content of materials with a high fluorine content by spectrum analysis. (1) Determination by means of a "fulgurator" using a solution obtained after digestion. One g of material is digested with an eightfold amount of soda, the melt is diluted with water and topped to 250 ml. Analysis is effected with a "fulgurator", spectrally pure carbon is used as a counterelectrode. Inner standard is Cr (a solution of K_2CrO_4), condenser capacity 6000 cm, self-induction 0.8 mh. Advance sparking 30 sec, exposure 80 sec. Pairs of lines for evaluation: Si 2881.6/Na 3302.3 - Si 2881.6/Cr

1/2

OVER

MARIASSY, Mihaly; H. Borsiczky, Veronika; SEMOGYI, Istvan

Questions of gas analysis in aluminum electrolysis. Koh lap
9 no. 9: 416-419 S '54.

SOMOXY, I.

At the moment of the discharge of the capacitor, the voltage across the electrodes is 200-300 V. The discharge current is 10-20 A. The duration of the discharge is 0.1-0.2 sec. The electrodes are made of electrolytic Cu. The material to be analyzed should be pulverized. Pairs of lines for evaluation are Ca 2854.87/N: 3302.3. For of lines for evaluation are Ca 2854.87/N: 3302.3. K. L. C.

HUSZAK, I.; SOMOGYI, I.

EEG changes induced by electroshock loads in schizophrenics.
Acta med. acad. sci. hung. 19 no.1:77-83 '63.

1. Department of Neuropsychiatry and Institute of Brain Research,
University Medical School, Szeged.

(ELECTROENCEPHALOGRAPHY) (SCHIZOPHRENIA)
(SHOCK THERAPY, ELECTRIC)

IN: JAC, L.; BENZEL, Gy.; SOMOGYI, L.; SOMLO, I.

Neurological and electroencephalographic studies in systemic lupus erythematosus and rheumatoid arthritis. Acta med. acad. sci. Hung. 21 no.3:247-255 '65.

1. First Department of Medicine, and Department of Neurology and Psychiatry, University Medical School, Szeged. Submitted July 15, 1964.

SOMOGYI, I.; RIGO, J.; SOS, J.

On the control of experimental hypertension in arteriosclerosis with tuberculin, BCG and mycobacterial extracts. Acta med. acad. sci. hung. 18 no.4:423-428 '62.

1. Pathophysiologisches Institut (Direktor: Prof. Dr. J. Sos) der Medizinischen Universität Budapest, und Hauptstadtsches Krankenhaus, Visegrad.

(HYPERTENSION) (ARTERIOSCLEROSIS) (TUBERCULIN)
(VITAMIN D2)
(MYCOBACTERIUM BOVIS)

SOMOGYI, Istvan, Dr.; TASS, Gyula, Dr.

BAL therapy in Parkinson's syndrome caused by largactil. Orv. hetil.
98 no.34:937-938 25 Aug 57.

1. A Szegedi Orvostudományi Egyetem Idegklinika-jának (igazgató: Huszak Istvan dr. egyetemi tanár) közleménye.

(PARALYSIS AGITANS, etiol. & pathogen.

chlorpromazine, prev. by dimercaprol (Hun))

(CHLORPROMAZINE, inj. eff.

paralysis agitans, prov. by dimercaprol (Hun))

(DIMERCAPROL, ther. use

paralysis agitans prev. during chlorpromazine ther. (Hun))

EXCERPTA MEDICA Ser 2 Vol 12/9 Physiology Sept 59

4319. RECENT INVESTIGATIONS ON RECIPROCAL ACTIONS OF THE RETICULAR FORMATION AND THE CORTEX - Neuere Untersuchungen über die Wechselwirkungen zwischen der Formatio reticularis und der Cortex - Somogyi I., Porszász J. and Takács O. Neurol.-Psychiat. Klin. und Physiol. Inst., Med. Univ., Szeged - ACTA PHYSIOL. ACAD. SCI. HUNG. 1958, 14/4 suppl. 1958 (34-35)

These reciprocal actions were studied by stimulation of the mesencephalic reticular formation, lateral hypothalamus, anterior ventral thalamus and central cut end of the sciatic nerve in 32 cats. Electrical activity of the cortex was recorded electroencephalographically and that of the reticular, hypothalamic and thalamic regions contralateral to those stimulated was recorded with depth electrodes. The desynchronization that followed stimulation of the diffuse activating system was either abolished or reversed (hypersynchronization; inhibition) by barbiturates in various dosages. The inhibitory effects of barbiturates at both cortical and subcortical levels were abolished by ether anaesthesia. The 'activating' effect of ether was still more convincing in the experiments with sciatic nerve stimulation. The afferent impulses running from the ascending reticular system to the cortex activate a mechanism which inhibits the subcortex. This inhibitory mechanism is eliminated by ether. The physiological significance of this cortico-subcortical inhibitory mechanism is that the cortex can protect itself against excessive stimuli according to the principle of 'negative feed-back'

SOMOGYI, Istvan, Dr.

On the simultaneous administration of tetracor-evipan in epilepsy verified by electroencephalographic diagnosis. Cesk. zdravot. 7 no.9:335-342 Oct 59.

1. A Szegedi Ideg. es Elmekortani Klinika kozlemenye (Igazgato: Dr. Huszak Istvan egyetemi tanar.

(EPILEPSY, ther.) (HEXOBARBITAL, ther.)
(ADRENAL CORTEX HORMONES, ther.)

PORSZASZ, Janos; SOMOGYI, Istvan

Electroencephalographic study on the "antagonism" between ether and barbituric acid in the cat. Kiserl. orvostud. 13 no.6:618-627 D '61.

1. Szegedi Orvostudományi Egyetem Eletti Intezete es Agykutato Intezete.

(ETHER ETHYL pharmacol)
(BARBITURATES pharmacol)
(ELECTROENCEPHALOGRAPHY exper)

SOMOGYI, Istvan, dr.

Electroencephalographic studies on the effect of spiractin. Ideg.
szemle 14, no.12:376-382 D '61.

1. A Szegedi Orvostudományi Egyetem Ideg-Elmeklinikájának (Igazgató:
Dr. Huszak Istvan egy. tanár) közleménye.

(ELECTROENCEPHALOGRAPHY pharmacol)
(ANALEPTICS pharmacol)

HUSZAK, Istvan; SOMOGY, Istvan

EEG changes in schizophrenic patients under the influence of electric shock therapy. Ideg.szemle 15 no.2:33-38 F '62.

1. Szegedi Orvostudományi Egyetem Ideg Elneklínika és Agykutató Intézete.

(SCHIZOPHRENIA ther) (ELECTROENCEPHALOGRAPHY)
(SHOCK THERAPY ELECTRIC)

HUNGARIAN

YOROS, Arilla, SOMOGYI, Istvan of the Cerebral Research Institute of the Neuropathologic and Psychiatric Clinic, Medical University, Szeged; Licenses: University Professor Istvan HUNYAK (A Szeged: Orvostudományi Egyetem Jogi és Eljárásrendi Közlönye Államok Intézete)

"Frequency Reactometer" - New Method and Device for Measuring the Time for Response

Budapest, Magyar Pszichológiai Szemle, Vol 19, No 4, 1964, pp 420-425

Abstract: [Authors' English summary modified]: Authors expound the usual principles governing the measuring of the time for response and the demands which they have to meet in order to satisfy: (1) inertia-less operation; (2) unequivocal determination of the time measured; (3) completeness as far as possible; (4) simplicity. Authors took duly into account above-said requirements when designing and assembling their new device, the frequency reactometer, in the laboratory of the Institute. The paper presents the description of the new device. Eighteen references including 11 Hungarian, 7 Western.

172

SOMOGYI, I.; KUKOR, I.

Early dumping syndrome: the role of metabolic factors. Acta med.
acad. sci. Hung. 20 no.1:17-21 '64

1. Hospital of the Budapest, Council, Visegrad.

[illegible]

Prevention of hypertension caused by hypervitaminosis B₁₂ with the use of *Mycobacterium tuberculosis* extracts. Tuberkuliozis 17 no.6:161-164. Je '64.

1. A Fekvárosi Kórház, Visegrád (ig.: Somogyi István dr.), a Budapesti Orvostudományi Egyetem Koronettani Intézete (ig.: Sos József dr. az MTA lev. tagja) és az Országos Kórházi Tdk. Intézet (ig.: Boszormenyi Miklós dr. kandidátus, tud. ig.: Földes István dr. kandidátus) közleménye.

SOMOGYI, I.; RIGO, J.; SOS, J.; MEDVECKY, E.; FOLDES, I.

On the prevention of hypertension caused by D2-hypervitaminosis with extracts from mycobacteria. Acta med. acad. sci. Hung. 21 no.3:319-323 '65.

1. Stadtisches Krankenhaus (Direktor: Dr. I. Somogyi), Visegrad, Pathophysiologisches Institut (Direktor: Prof. Dr. J. Sos) der Medizinischen Universitat, Budapest, und Koranyi-Tuberkulose-Landesinstitut (Direktor: Dr. I. Boszormenyi), Budapest. Submitted March 18, 1965.

Pharmacology and Toxicology

HUNGARY

CSINK, Lorant, Dr. SOMOGYI, Istvan, Dr. CSANDA, Endre, Dr; Medical University of Szeged, I. Surgical Clinic (director: PETRI, Gabor, Dr, professor) and Neurological Clinic (director: HUSZAK, Istvan, Dr, professor) (Szegedi Orvostudományi Egyetem, I. sz. Sebészeti Klinika és Ideg Klinika).

"Experiences With the Use of Reparil in the Treatment of Patients With Skull Injury."

Budapest, Magyar Traumatologia, Orthopaedia és Helyreallito Sebészet, Vol X, No 1, Feb 67, pages 35-43.

Abstract: [Authors' English summary modified] The results of Reparil (Dr. Madaus Co., K6ln) therapy given to 40 patients with skull injury are reported. In the opinion of the authors, Reparil has an elective cerebral effect. The compound has a favorable effect both on the disturbance in consciousness and on the subjective symptoms. Two cases are presented in which Reparil therapy was used with success in the treatment of cerebral embolism following cardiac catheterization. 2 Hungarian, 11 Western references.

SUMUJII, J.

Portable 16-mm. film projector of the Telephone Factory, p. 66,
KEP ES HANGOTECHNIKA, (Optikai es Kinotechnikai Tudomanyos Egyesulet)
Budapest, Vol. 2, No. 3, June 1956

SOURCE: East European Accessions List (EEAL) Library of Congress,
Vol. 5, No. 11, November 1956

LOMOVI, J.

"A better wage system could improve the work of maintenance units." p. 7,
(103 FINELES, Vol. 6, no. 6, June 1952. Budapest.)

SO: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress
August, 1953, Uncl.

HIDAS, Gyorgy; KEMENY, Adam; HAZMAN, Istvan; KISS, Erno; SOMOGYI, Janos

The use of transistors in radio receiving sets; also, remarks by
E.Kiss and I.Somogyi. Muszaki kozl MTA 26 no.1/4:101-104 '60.

(EEAI 9:10)

1. Híradastechnikai Kutató Intézet (for Hidas, Kemany and Hazman)
(Radio) (Transistors)

SVORAD, D.; SMIESKOVA, A.; KLIMENT, P.; SOMOZYI, J.

Influence of hippocampal lesions on conditioned reflex activity. *Activ. nerv. sup.* 6 no.1:36-37 '64.

*

SVORAD, D., MURGAS, K.; SMIESKOVA, A.; SOMOGYI, J.

Remote control autostimulator. *Activ. nerv. sup.* 6 no.1:50-51
'64.

SVORAD, D.; MURGAS, K.; SOMOGYI, J.; KLIMENT, P.; BORANOVA, A.

Teleautostimulation of the brain. Bratisl. lek. listy 43 Pt 2
no.7:416-418 '63.

1. CSAV - Ustav experimentalnej mediciny SAV v Bratislave,
riaditel clen koresp. SAV J. Antal, Dr. Sc.
(BRAIN ELECTROPHYSIOLOGY)

SCHOGYI, Janos, dr.; TIHEKLA, Ferenc

Possibility of linking circuits without intercoupling. Hir
techn 11 no.6:236-237 D '60.

1. Telefongyar.

PROCESSING AND DOCUMENTATION

The effect of small doses of copper upon erythropoiesis.
János Somogyi. *Magyar Orvosi Arch.* 36, 317-36 (1935).
A single intravenous injection of CuSO_4 (0.3-0.6 mg. of
Cu per kg.) into rabbits increases erythropoiesis. The
number of red cells rises 16-39.2% and the hemoglobin
0.3-2.4% above the normal. The increase is maintained
for 15 days. In hemorrhagic anemia copper hastens
regeneration of blood. Numerous references are given.
Henry Lauley

AND SEE DETAIL ORIGIN LITERATURE CLASSIFICATION

The effect of a single dose of ergotamine on the blood picture of normal and splenectomized rats. János Szendrői, Magyar Biol. Annotatort Munkós 10, 376-81 (1938).—Ergotamine (0.30-40 mg./kg. body wt.) injected intramuscularly decreased the red blood cell no. by 8-23% and hemoglobin content by 9-16%; the max. effect was reached on an average of 4 hrs. after injection. The no. of white blood corpuscles increased 2-3 fold. Decrease of lymphocytes was only relative. Splenectomy caused no significant differences in the results.

S. S. de Finálv

1ST AND 2ND CODES		PROCESSING AND PROPERTY CODES		3RD AND 4TH CODES	
<div style="display: flex; justify-content: space-between;"> BC a-4 </div> <p>Role of the sympathetic nervous system in blood regeneration. J. C. SOMMORI (Magyar Orv. Arch., 1939, 40, 195-203).—Ergotamine (0.2 mg. per kg. daily) inhibited blood regeneration after hemorrhage in cats. Partial sympathectomy caused a decrease of red corpuscles and hemoglobin, and an increase of leucocytes. Cervical sympathetic stimulation increased the red corpuscles and the hemoglobin, the latter effect disappearing when stimulation followed thyroidectomy. A. W. M.</p>					
<p>ASB-55A DETAILING LITERATURE CLASSIFICATION</p> <p>FROM 170.00100</p> <p>GROUP 1A</p> <p>GROUP 1B</p> <p>GROUP 1C</p> <p>GROUP 1D</p> <p>GROUP 1E</p> <p>GROUP 1F</p> <p>GROUP 1G</p> <p>GROUP 1H</p> <p>GROUP 1I</p> <p>GROUP 1J</p> <p>GROUP 1K</p> <p>GROUP 1L</p> <p>GROUP 1M</p> <p>GROUP 1N</p> <p>GROUP 1O</p> <p>GROUP 1P</p> <p>GROUP 1Q</p> <p>GROUP 1R</p> <p>GROUP 1S</p> <p>GROUP 1T</p> <p>GROUP 1U</p> <p>GROUP 1V</p> <p>GROUP 1W</p> <p>GROUP 1X</p> <p>GROUP 1Y</p> <p>GROUP 1Z</p>					

SOMOGYI, J.

Morphological changes in spermatogenesis following application of
T. S. 160. Bratisl. lek. listy 32 no. 3-4:127-134 1952. (CML 24:1)

1. Of the Histo-Embryological Institute of Slovak University, Bratislava. 2. T.S.-160-- domestic tri-chlorethyl-amino-hydrochloride.

Somogyi J.
EXCERPTA MEDICA Sec 5 Vol 12/5 Gen. Path. May 59

1262. IMPREGNATION IN FROZEN SECTIONS OF THE NERVE ELEMENTS OF FATTY TISSUE AND OF ORGANS RICH IN FAT - Imprägnierung der Nerven-elemente im Fettgewebe und in den fettreichen Organen an Gefrierschnitten - Somogyi J. Histol.-Embryol. Inst., Comenius-Univ., Bratislava - Z. MİKRO.-ANAT.FORSCH. 1957, 63/2 (298-302) Illus. 4

The fat is removed from the tissue sections in 96% alcohol (24 hr.) and ether (24 hr.). The sections are then embedded in Apathy's gum syrup.

Jabonero - Oviedo (1, 5)

FONYO, A.; SOMOGYI, J.

The phosphorylation of adenosine diphosphate and glucose in isolated brain mitochondria at different osmotic concentrations. Acta physiol.hung. 18 no.3:191-198 '60.

1. Experimental Research Laboratory, Medical University, Budapest.
(ADENOSINE PHOSPHATES metab)
(GLUCOSE metab)
(BRAIN metab)

SOMOGYI, J.; VINCZE, S.

Mitochondrial and non-mitochondrial adenosinetriphosphatase in brain tissue. I. Origin and properties of the two different adenosinetriphosphatases. Acta physiol. acad. sci. hung. 20 no.4:325-337 '61.

1. Experimental Research Department and Department of Biochemistry, Medical University, Budapest.

(BRAIN metab)

(ADENYLPIROPHOSPHATASE metab)

SOMOGYI, J.; VINCZE, I.

Mitochondrial and extramitochondrial adenosine triphosphatase in brain tissue. II. Some properties of the extramitochondrial adenosine triphosphatase. Acta physiol. akad. sci. hung. 21 no.1:29-41 '62.

1. Experimental Research Laboratory, Medical University, Budapest.

(ADENYLPIROPHOSPHATASE chemistry)
(BRAIN chemistry)

FONYO, A.; SOMOGYI, J.

Respiratory control in brain mitochondria. Acta physiol. acad. sci.
hung. 21 no.4:285-293 '62.

1. Experimental Research Department, Medical University, Budapest.
(MITOCHONDRIA) (ENERGY METABOLISM) (ADENOSINE TRIPHOSPHATE)
(ADENINE NUCLEOTIDES) (NAD) (ADENOSINE TRIPHOSPHATASE)
(HEXOKINASE) (GLUCOSE) (NITROPHENOLS) (BRAIN)

SOMOGYI, J.; FONYO, A.; VINCZE, I.

Preparation of brain mitochondria. Acta physiol. acad. sci. hung. 21
no.4:295-300 '62.

1. Experimental Research Department, Medical University, Budapest.
(MITOCHONDRIA) (ENERGY METABOLISM) (ADENOSINE TRIPHOSPHATE)
(ADENOSINE TRIPHOSPHATE) (NAD) (EDATHAMIL)
(HEXOKINASE) (GLUCOSE) (NITROPHENOLS) (BRAIN)

ZSOLNAI, B.; SOMOYI, J.; PUSKAS, E.; VINCZE, I.

On the injurious effect of extracts of human chorionic villi
and decidua on pregnancy in rats. Acta chir. acad. sci. Hung.
4 no.2:125-135 '63.

1. II Frauenklinik (Direktor: Prof. Dr. I. Zoltan) und Experimentelles Forschungslaboratorium (Vorstand: Dr. A.B.G. Kovach)
der Medizinischen Universität Budapest.

(ABORTION) (FETAL DEATH) (MATERNAL-FETAL EXCHANGE)
(DECIDUA) (PLACENTAL EXTRACTS) (PREGNANCY, ANIMAL)
(TISSUE EXTRACTS)

RADOCHAY, Lajos, dr.; SOMOGYI, Jeno, dr.

New case of melorheostosis (Leri's). Orv. hetil. 98 no.27:
741-742 7 July 57.

1. A Pecszi Orvostudományi Egyetem I. sz. Sebészeti Klinikájának
(igazgató: Schmidt, Lajos, dr. egyet. tanár) közleménye.
(OSTEOPETROSIS, case reports
melorheostosis (Hun))

DAROCZY, Gyula, dr.; SOMOGYI, Jeno, dr.

Cecal lipoma causing invagination. Orv. hetil. 98 no.28:
774-775 14 July 57.

1. A Pecsí Orvostudományi Egyetem I. sz. Sebészeti Klinikájának
(igazgató: Schmidt, Lajos, dr. egyet. tanár) közleménye.

(LIPOMA, compl.

ileocecal invagination caused by cecal lipoma (Hun))

(CECUM, neoplasms

lipoma causing ileocecal invagination (Hun))

(ILEUM, dis.

ileocecal invagination caused by cecal lipoma (Hun))

RADOCHAY, Lajos, Dr.; SOMOGYI, Jeno, Dr.

Classical and psoriasis-connected cases of arthritis mutilans. Orv.
hetil. 99 no.3:99-100 19 Jan 58.

1. A Pecsı Orvostudományi Egyetem I. sz. Sebészeti Klinikájának (igazgató:
Schmidt Lajos dr., egyet. tanár) közleménye.

(ARTHRITIS, RHEUMATOID, case reports

arthritis mutilans, classical & psoriasis-connected cases
(Hun))

(PSORIASIS, compl.

arthritis mutilans, case report (Hun))

METZL, Janos, Dr.; SOMOGYI, Jeno, Dr.

Early and late results of the surgical treatment of acute perforations of gastric and duodenal ulcers based on 5 years material of the No. 1 Surgical Clinic of Pecs. Orv. hetil. 99 no.28:959-962 13 July 58.

1. A Pecs Orvostudományi Egyetem I. sz. Sebészeti Klinikájának
(igazgató: Schmidt Lajos dr. egyet. tanár) közleménye.
(PEPTIC ULCER, perf.

surg., early & late results (Hun))

PILASZANOVICH, Imre, dr.; HALMOS, Laszlo, dr.; SOMOGYI, Jeno, dr.; BERGER, Rezső, dr.

A personal case of Peutz-Jeghers syndrome. Orv. hetil. 102 no.46: 2169-2173 12 N '61.

1. Pecsí Orvostudományi Egyetem, Gyermekklinika és I sz. Sebészeti Klinika.

(POLYPI case reports)

ALPAR, Gyula; SOMOGYI, Jozsef

Testing the performance date of the MOM N1-B1 level instrument. Geod.
kart. 12 no.1:37-41 '60. (KEAI 9:5)
(Hungary--Leveling)

SOMOGYI, Jozsef

Elimination of the effect of earth curvature and refraction in the aerial photograph interpretation. Geod kart 14 no.3:176-181 '62.

1. Tudomanyos kutato, Magyar Tudomanyos Akademia Geodeziai Kutato Laboratoriuma, Sopron.

ALPAR, Gyula; SOMOGYI, Jozsef

Distribution of altitudinal errors in spatial aerotriangulation. Geod kart 15 no.6:412-416 '63.

. Map, 1964.

Description of the AF/C analytical stereoplotter. Geod kart.
16 no.5:381-383 '64.

L 33450-66

ACC NR: AP6023512

SOURCE CODE: CZ/0049/65/000/011/0887/0889

AUTHOR: Somogyi, Jozef--Shomodi, Y. (Doctor; Bratislava)

ORG: Department of Experimental Cytology, Institute of Normal and Pathological Physiology, SAV, Bratislava (Oddelenie experimentalnej cytologie Ustavu normalnej a patologickej fyziologie SAV)

TITLE: Karyometric investigation of nerve cells adapted to an increased innervation zone

SOURCE: Biologia, no. 11, 1965, 887-889

TOPIC TAGS: neuron, cell physiology, dog, cardiovascular system, tissue physiology

ABSTRACT: In experiments using dogs it was found that animals with experimentally induced heart hypertrophy show a significant increase of intramural gangliar cells and their nuclei. This is an adaptation change which results in the maintaining of the original ratio and the renewal of the equilibrium between the size of the nerve cells and the extent of the innervated zone. E. Stojanova participated in the technical work. Orig. art. has: 1 figure. [JPRS]

SUB CODE: 06 / SUBM DATE: 25May65 / ORIG REF: 002 / OTH REF: 005

Card 1/1

ACC NR: AP6027404

SOURCE CODE: HU/0017/66/000/002/0095/0098

AUTHOR: Alpar, Gyula; Somogyi, Jozsef

ORG: none

TITLE: Distribution of the altitude errors in spatial aerial triangulation with dual photograph series

37

E

SOURCE: Geodezia es kartografia, no. 2, 1966, 95-98

TOPIC TAGS: triangulation, photograph, error minimization

ABSTRACT: The method for single photograph series described by the authors Ibid., 1966, No 1 [page numbers not given] was extended to operations involving dual photograph series. The simplification of the computations by the new method is evident if it is realized that with dual photograph series the juncture points will fall in the overlap zones of four adjacent models and that the juncture points used are those employed for error distribution in the horizontal sense. Thus, it is possible to obtain the constants of the unknowns from the horizontal planar error distribution. Eleven equations were presented. Orig. art. has: 11 formulas and 2 tables. [JPRS: 36,457]

SUB CODE: 08, 12 / SUBM DATE: none / ORIG REF: 002 / OTH REF: 001

Card 1/1

UDC: 528.73

SOMOGYI, K.

Hungarian Technical Abst.
Vol. 5 No. 2
1953

625 34.001.4: 666 97.017

32. Investigations on the surface hardness of concrete.
Vizsgálatok a beton felületi keménysége - K. SOMOGYI.
(Scientific Review of Civil Engineering - ~~Magyar Mérnök~~
Híradás - Vol. II, No. 4, May 1953, pp. 249-
255, 6 figs.)

A continuous and well defined relation exists between the cube strength and surface hardness of concrete on the basis of which the index of the latter may furnish characteristic data in respect to the quality of the concrete. The method of measuring surface hardness developed by the author as well as the apparatus designed by him are based on Soviet experiences. A rotating tapered needle of determined size and material penetrates under a given pressure into the mortar on the surface of the concrete sample. The penetration readings may be taken with an accuracy of 0.01 mm. The result of the tests carried out on concrete samples of varying age, mix, method of compacting and curing can be expressed by the following

formula: $\sigma_c = \frac{A}{b^2}$, where σ_c denotes the cube strength in kg per sq mm, b the depth of penetration of the needle in mm, A the factor depending on the type and grading of the aggregate and the method of compacting. Comparative measurements of surface hardness and cube strength, carried out on different types of concrete, indicated the A factor to be 0.45 on the average. The same tests showed further that the relation between cube strength and surface hardness is defined by the constant 0.776. K. Somogyi

SOMOGYI, K.

Spatkoczky, L.; Somogyi K.; Bacs, Gy. "Timely Problems of the Gravel Mining Industry" p. 376 (Építőanyag, Vol. 5, No. 11, November, 1953, Budapest)

SO: Monthly List of East European Vol. 3, no. 3 Library of Congress, March 1954, Uncl.
~~1953~~

Distr: 4E2c

The barrier film produced by oxidation of Al. István Kósa Somogyi (Magyar Tud. Akadémia Központi Fizikai Kutató Intézete, Budapest, Hung.). *Magyar Kém. Folyóirat* 66, 51-5 (1960).—Al plates 99.99% pure were oxidized in 10% H₂SO₄ soln. with internal cooling. The thicknesses of barrier films were detd. in NH₄ tartrate solns. at pH 5.5 by capacitance measurements. Anodic potential depends on the thickness of the barrier film. On oxidn. with H₂SO₄ a unit voltage drop is brought about by oxide film 10-12 Å. thick. Film thickness depends on the ratio of oxide film growth and soln. velocity. The microstructure of the film depends primarily on the applied c.d., as demonstrated by electron micrographs.

J. Császár

11
J. mje (50) (P5)
1

HUNGARY/Organic Chemistry. Natural Compounds and Their
Synthetic Analogs.

G

Abs Jour: Ref Zhur-Khin., No 2, 1959, 4803.

Author : Boggar, R. and Sonogyi, L.

Inst :

Title : The Oxidation of Sugar Alcohols with Chlorine. III.
The Isolation of Aldoses in the Form of Glycosyl
Amines.

Orig Pub: Vegyipari Kut Int Koesl. 4, 179-182 (1954) (in
Hungarian with summaries in German and Russian)

Abstract: The oxidation of mannitol (I) with Cl_2 in aqueous
solution gives a mixture containing 30.6% mannose
(II) (the total sugar content of the solution is
calculated on a glucose base); the yield of II
is 10-21% (based on I). A better method of ob-

Card : 1/2

53

glycosyl amines. II is isolated in 40% yield
in the form of N-mannosyl-p-toluidine (based
on the total sugar content); the yield based on
I is 25-28%. For Communication II see A Magyar
Kut Int Koesl. 4, 179-182 (1954) (in Hungarian with summaries in German and Russian).
From a summary by the authors.

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001652410012-9

Card : 2/2

HUNGARY/Organic Chemistry. Natural Compounds and Their
Synthetic Analogs.

G

Abs Jour: Ref Zhur-Khir., No 2, 1959, 4804.

Author : Bogнар, R. and Sonogyi, L.

Inst : Hungarian Academy of Sciences.

Title : The Oxidation of Sugar Alcohols with Chlorine.
IV. The Isolation of D-Mannose and D-Fructose from
the Oxidation Mixture of D-Mannitol.

Orig Pub: Acta Chin Acad Sci Hung, 14, No 3-4, 407-416 (1958)
(in English with summaries in German and Russian)

Abstract: The oxidation of D-mannitol (I) with Cl_2 gas has
been studied. Cl_2 is passed into a 10% aqueous
solution of I until a weight gain of 30-35% (based
on I) is observed. The jelly-like reaction mixture
is allowed to stand for 1 day at 4°, 3 days at 15°.

Card : 1/2

1948, I. 1948

"Conclusions from the Poliomylitis Epidemic in Keeskemet."

Nepregeszs., Budapest 1948, 29/22(497-504)
Abst: Exc. Med. IV, Vol. 11, No. 3, 319

GULYAS, Bela; BORSODY, Laszlo; SOMOGYI, Lajos; KAHLESZ, Bela

Storage and material handling in the food industry. Elelm ipar
17 no.8:239-248 Ag '63.

1. Elelmezesugyi Miniszterium (for Gulyas). 2. Elelmezesugyi
Miniszterium Muszaki Foosztalya (for Borsody). 3. Elelmezesipari
Szolgaltato Troszt (for Somogyi). 4. Elelmezesipari Tervezo
Vallalat (for Kahlesz).

SOMOGYI, Lajos

Achievements in food industry machine building at the machine
building division of the Ministry of Food Elelm ipar 19 no 4:
102 107 Ap '65.

1. Food Industry Repair, Installation and Supply Enterprise, Budapest.

SOMOGYI, L.

"From the Experiences of My Study Tour in Germany", P. 204, (FAIPAR,
Vol. 4, No. 7, July 1954, Budapest, Hungary)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12,
Dec. 1954, Uncl.

SCOGYI, L.

SCOGYI, L. Experiences during my study tour in Germany. Pt. 1. Work of the Research Institute of the Wood Industry in the German Democratic Republic. (To be contd.) p.234. Vol. 4, no. 8, Aug. 1954. FAIFAR. Budapest, Hungary.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

SCNCGYI, L.

SCNCGYI, L. Experiences during my study tour in Germany. Pt.2. Training industrial apprentices in the German Democratic Republic. p. 278. Vol. 4, no. 9, Sept. 1954. FAHAK. Budapest, Hungary.

SOURCE: East European Accessions List (EEAL) Vol. 6, No. 4--April 1957

SCIENCE, 1.

"Motion Pictures on Technical Education and Exchange of Experiences",
P. 1. (UTTIKH LAJKA, Vol. 6, No. 18, Sept. 1954, Budapest, Hungary)

SC: Monthly List of East European Accessions, (FEAL), IC, Vol. 4,
No. 1, Jan. 1955, Incl.

SONKAYI, L.

FAITAP. (Faipei Tudományok Egyesület) Budapest.

My experiences in the field of furniture industry during a study trip
in Bulgaria. p. 228.

Vol. 8, No. 8/9, Aug./Sept. 1958.

Monthly List of East European Assessments (EMAI), LC, Vol. 8, No. 3,
March 1959 Unclass.

SOMOGYI, László

Report on the Executive Committee of the Scientific Association
of the Wood Industry. Faipar 10 no.3:88-96 M '60.

1. Faipari Tudományos Egyesület fotitkara, es "Faipar"
szerkeszto bizottsagi tagja.

SOMOGYI, Laszlo

After ten years. Faipar 10 no.10:289-290 0 '60.

1. Faipari Tudományos Egyesület főtítkara, és "Faipar" szerkeszto bizottsagi tagja.

SOMOGYI, Laszlo

Basic materials of the wood industry. Faipar 10 no.11:329-330 N '60.

1. "Faipar" szerkeszto bizottsagi tagja.

JUHASZ, Laszlo; JUHASZ, Istvan; HORVATH, Lajos; SOMOGYI, Laszlo

An instructive conference. Faipar 12 no.10:298-302 0 '62.

1. Iparművészeti Tanács titkára (for Juhasz Laszlo).
2. Butorértékesítő Vállalat igazgatója; "Faipar" szerkesztő bizottsági tagja (for Juhasz Istvan).
3. Országos Kézipari Szövetkezeti Központ Faipari Műszaki Bizottsági elnöke (for Horvath).
4. Faipari Tudományos Egyesület főtáskára; "Faipar" szerkesztő bizottsági tagja (for Somogyi).

SOMOGYI, Laszlo

Dedication of a new university. Faipar 13 no.1:1 Ja '68.

1. Faipari Tudományos Egyesület főtitkara; "Faipar" szerkeszto
bizottsagi tagja.

SOMOGYI, Laszlo

On the general meeting of the Scientific Association of the
Wood Industry for the election of officers. Faipar 13 no.2:
33-44 F '63.

1. Faipari Tudományos Egyesület fotitkara; "Faipar" szerkeszto
bizottsagi tagja.

GAL, Janos, dr.; MADAS, Andras, dr., mezogazdasagi tudomanyok (erdeszeti)
kandidatusa; SOMOGYI, Laszlo

Salute to the ten-year-old National Main Directorate of
Forestry. Erdo 13 no.10:437-439 O '64.

1. Rector, University of Forestry and Timber Industry, Sopron
(for Gal). 2. President, National Forestry Association (for
Madas). 3. Secretary General, Scientific Association of the
Wood Industry (for Somogyi).

SOMOSYI, LASZLO

"Eszszeru es gazdasagos tarlalkozas. (Budapest) Muvelt Nem Konyvkiado, 1952.
56 n. (Termeszettudomanyos kiskonyvtar, 93. sz.) (Rational and economical
nutrition. illus.)."

SO: East European Accessions List, Vol 3, No 8, Aug 1954.

GERECS, Arpad, prof., dr. (Budapest VIII Muzeum korut 6-8); SOMOGYI, Laszlo
(Budapest VIII Muzeum korut 6-8)

Data on the reaction of α -oxy-, α -halogen-tetrahydropyran and
tetrahydrofuran compounds with aniline and arylhydrazines. Acta
chimica Hung 24 no.1:73-82 '60. (EEAI 10:4)

1. Institute of Chemical Technology, L.Eotvos University, Budapest,
(Halogens) (Hydroxylamine) (Hydrazine) (Aniline)
(Aryl groups) (Tetrahydropyran) (Tetrahydrofuran)
(Hydrochloric acid) (Hydroxy compounds)